



1/9




FIG. 1



2/9

**Sample OCI Outbound Interface Fields**

<b>Description</b>	<b>Mandatory</b>	<b>Catalog-Specific</b>	<b>Field Name</b>	<b>Field Name Variable/Fixed</b>
Catalog URL	Yes	Yes	<Blank>	Fixed
All Catalog Specific Fields	As Relevant	Yes		Variable
Return URL	Yes	No	HOOK_URL	Variable
OK Code	Yes	No	~OKCODE	Fixed
Target	Yes	No	~TARGET	Fixed
Caller	Yes	No	~CALLER	Fixed

**FIG. 2**



3/9

**Sample OCI Inbound Interface Fields**

Item	Name	Required/Optional	Type Length
Description	NEW_ITEM- DESCRIPTION[n]	Required if Product Master is not Specified	CHAR-40
Product Master	NEW_ITEM- MATNR[n]	Required if the Description Field is not Specified	CHAR-18
Product Group	NEW_ITEM- MATGROUP[n]	Optional	CHAR-10
Quantity	NEW_ITEM- QUANTITY[n]	Required	CHAR-15
Unit of Measure	NEW_ITEM-UNIT[n]	Required if Product Master Field is not Filled	CHAR-3
Price	NEW_ITEM-PRICE[n]	Optional	CHAR-15
Price Unit	NEW_ITEM- PRICEUNIT[n]	Optional	CHAR-9
Currency	NEW_ITEM- CURRENCY[n]	Required if Price is Returned, Otherwise Optional	CHAR-5
Lead Time	NEW_ITEM- LEADTIME[n]	Optional	CHAR-5
Vendor	NEW_ITEM-VENDOR	Optional	CHAR-10
Product ID	NEW_ITEM- EXT_PRODUCT_ID[n]	Optional	CHAR-40
Catalog ID	NEW_ITEM- EXT_CATEGORY	Optional	CHAR-40

**FIG. 3A**



4/9

```
<HTML>
<HEAD>
<HEAD>
<H1>SAP Open Catalog Interface: HTML - Example</H1>
</HEAD>
<P> This is an example, what needs to be generated by the catalog engine, if the user is done with
picking items in his shopping basket. </P>
<P>View the source of this file to see all the text inputs. </P>
<BODY bgcolor="#DEDED6C2">
<FORM action="<%=Request.QueryString("HOOK_URL")%">" method=post target=_top>
<!--For more information about the interface fields, refer to the catalog interface description-->
<!--Item number 1-->
<input type="hidden" name="NEW_ITEM-DESCRIPTION[1]" value="Pen, Easytouch,
Medium, Black">
<input type="hidden" name="NEW_ITEM-MATNR[1]" value="">
<input type="hidden" name="NEW_ITEM-MATGROUP[1]" value="">
<input type="hidden" name="NEW_ITEM-QUANTITY[1]" value="1">
<input type="hidden" name="NEW_ITEM-UNIT[1]" value="EA">
<input type="hidden" name="NEW_ITEM-PRICE[1]" value="0.50">
<input type="hidden" name="NEW_ITEM-PRICEUNIT[1]" value="5">
<input type="hidden" name="NEW_ITEM-CURRENCY[1]" value="USD">
<input type="hidden" name="NEW_ITEM-LEADTIME[1]" value="1">
<input type="hidden" name="NEW_ITEM-VENDOR[1]" value="1768">
<input type="hidden" name="NEW_ITEM-VENDORMAT[1]" value="648570">
<input type="hidden" name="NEW_ITEM-MANUFACTCODE[1]" value="4711">
```

FIG. 3B-1



5/9

```
<input type="hidden" name="NEW_ITEM-MANUFACTMAT[1]" value="4712">
<input type="hidden" name="NEW_ITEM-CONTRACT[1]" value="111">
<input type="hidden" name="NEW_ITEM-CONTRACT_ITEM[1]" value="1111">
<input type="hidden" name="NEW_ITEM-SERVICE[1]" value="">
<input type="hidden" name="NEW_ITEM-EXT_QUOTE_ID[1]" value="111">
<input type="hidden" name="NEW_ITEM-EXT_QUOTE_ITEM[1]" value="1111">
<input type="hidden" name="NEW_ITEM-EXT_PRODUCT_ID[1]" value="11111">
<input type="hidden" name="NEW_ITEM-LONGTEXT_1:132[]" value="longtext_1:
The best pen in our program, lightweight and easy to handle">
<input type="hidden" name="NEW_ITEM-CUST_FIELD1[1]" value="custf 1.1">
<input type="submit" value="Transfer Items to B2B shopping basket"
id=submit1 name=submit1 ><br>
</FORM>
&copy; 2000, SAP AG
</BODY>
</HTML>
```

FIG. 3B-2



6/9




FIG. 4



7/9

500 →





FIG. 5



8/9

600

**RESULT SCREEN**

Description	Source	Price	Quantity
○ IBM LAPTOP RS455	IBM COMPUTER CATALOG	840.00	<input type="checkbox"/> Stock
○ DELL COMPANION PRO 3422	DELL LAPTOP CATALOG	698.00	<input type="checkbox"/> Stock
○ DELL COMPANION PROPLUS	DELL LAPTOP CATALOG	745.00	<input type="checkbox"/> Stock
○ INTEL XRL70X 38483	INTEL HARDWARE CATALOG	729.00	<input type="checkbox"/> Stock

630

605 605

FIG. 6





9/9




FIG. 7